





 $\frac{HM\text{-}BLE}{\text{HART}^{\text{\tiny (B)}} \ \text{Modem - Bluetooth}}$ Low Energy





Benefits:

- Access hard to reach instrumentation from the ground or your truck
- Improve plant personnel safety
- Easy instrument configuration using Mobile devices without bulky modules or wires
- Less clutter on desk or workbench

Features:

- Bluetooth v4.0
- Reliable wireless communication up to 328 ft (100m)
- Internal antenna
- Rechargeable Li-Ion battery via micro-USB connector
- Integral heavy duty HART Minigrabber connectors
- Meets HART Physical Layer Spec HCF_SPEC-54
- High security 128 bit encryption
- Compact size 2.00" x 2.75" x 0.80" (50mm x 70mm x 20mm)
- Rugged ABS plastic enclosure
- HART Modem Test App included for iOS and Android
- Integrated loop for hanging strap attachment
- Each unit 100% tested
- 1 Year warranty







Specifications:

Enclosure

Material High strength ABS Plastic

Dimensions 2.00" x 2.75" x 0.80" (50mm x 70mm x 20mm)

Total Unit Weight 6 oz (170 g)

<u>Cables</u>

HART Cable Length 4' (1.2 m) HART Cable Connectors Mini-Grabber

HART

Interface Capacitive coupling

Output 600 mVpp Leakage < 10 uA

Connections Across loop resistor or HART field device
Specifications HART 4, HART 5, HART 6, HART 7,
HART Physical Layer Spec HCF_SPEC-54

Computer

Operating Systems Android, iOS

Bluetooth

Specifications Bluetooth v4.0 Frequency 2.4 GHz

Battery

Type Rechargeable Li-Ion
Life 19 hours continuous use

Environmental

Operating Temperature 0 degC to 50 degC (32 degF to 122 degF)
Storage Temperature -40 degC to 85 degC (-40 degF to 185 degF)

Humidity 0% to 99% (non-condensing)

Compliances

CE Certification EN 61326 (EMC), Directive 2011/65/EU (RoHS)

